

Date: Tuesday, 1/9/2007 4:07:54 PM
 U#A: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services
 Job Number : 30221
 Estimate Number : 12281
 P.O. Number : N/A
 This Issue : 1/9/2007 S.O. No. : N/A
 Prsht Rev. : NC
 First Issue : N/A Type : LARGE FAB ASSY
 Previous Run : 29891
 Written By : [Signature]
 Checked & Approved By : [Signature]
 Comment : est rev. A 06.02.09 new issue EC

Drawing Name : RIGHT ARM WELDMENT
 Part Number : D3354042
 Drawing Number : D3354 REV.A
 Project Number : N/A
 Drawing Revision : A
 Material : N/A
 Due Date : 2/10/2007

Qty: 3 Um: 4 Each

Additional Product

Job Number:



Seq. #: Machine Or Operation: Description :

1.0 D33549 handle socket



Comment: Qty.: 1.0000 Each(s)/Unit Total : 4.0000 Each(s)

pick:

qty part number description batch
 1 D3354-9 Handle socket

329905

PPL 07.01.22

2.0 D33541 inner shaft



Comment: Qty.: 1.0000 Each(s)/Unit Total : 4.0000 Each(s)

pick:

qty part number description batch
 1 D3354-1 Inner shaft

330109

PPL 07.01.22

3.0 D33547 left arm plate



Comment: Qty.: 1.0000 Each(s)/Unit Total : 4.0000 Each(s)

pick:

qty part number description batch
 1 D3354-7 Left arm plate

329904

PPL 07.01.22

4.0 D33543 shaft



Comment: Qty.: 1.0000 Each(s)/Unit Total : 4.0000 Each(s)

pick:

qty part number description batch
 1 D3354-3 Shaft

329902-1

PPL 07.01.22

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 1/9/2007 4:07:55 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: RIGHT ARM WELDMENT

Job Number: 30221

Part Number: D3354042

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

TP134

Inventory



Comment: Qty.: 1.0000 Each(s)/Unit Total : 4.0000 Each(s)

TP-134 TENSION PIN

Batch: M16362

Ppl 07-01-22

(3)

6.0

LARGE FAB 1

LARGE FABRICATION RESOURCE 1



Comment: LARGE FABRICATION RESOURCE 1

1- Weld assembly as per dwg D3354

2-Grind welds flush as per dwg D3354

Ppl 07-01-22

(3)

7.0

QC9

VISUAL WELDING INSPECTION



Comment: VISUAL WELDING INSPECTION

07/01/22 (3)

8.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

07/01/22 (3)

9.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

1-Mask areas indicated on dwg D3354

2-Powder Coat Fire Red (Ref: 4.3.5.10) as per QSI 005 4.3

FR/YH

07/01/22

(3)

10.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

07/01/22 (3)

11.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: 568

07/01/22 (3)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: ☒ Date: 07/01/24

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 1/9/2007 4:07:55 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: RIGHT ARM WELDMENT

Job Number: 30221

Part Number: D3354042

Job Number:



Seq. #:

Machine Or Operation:

Description :

12.0

QC21

FINAL INSPECTION/W/O RELEASE



(3)

Comment: FINAL INSPECTION/W/O RELEASE

1/20/07/24

Job Completion



1/20/07/24

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____




QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

DESIGN RF	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED 13	APPROVED	DRAWING NO. D3354	REV. A SHEET 1 OF 7
DATE 04.12.13		TITLE LEFT ARM WELDMENT	SCALE 1:4
A	04.12.13	NEW ISSUE	

RELEASED
86/02/07**D3354-042 MIRROR
ARM WELDMENT****NOTES:**

- 1) POSSIBLE SUPPLIER: SPAENAU, P/N TP-134
- 2) WELD PER DART QSI 004
- 3) FINISH: POWDER COAT PAINT FIRE RED (4.3.5.10) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES 0.010 TO 0.020

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. **30221**

COPYRIGHT © 2004 BY DART AEROSPACE LTD.




THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN RF	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3354	REV. A SHEET 2 OF 7
DATE 04.12.13	TITLE LEFT ARM WELDMENT		SCALE 1:2

RELEASED
06/03/14

[Signature]


**D3354-043 RIGHT ARM WELDMENT****NOTES:**

- 1) WELD PER DART QSI 004
- 2) COVER INSIDE HOLES PRIOR PAINTING
- 3) FINISH: POWDER COAT PAINT FIRE RED (4.3.5.10) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES 0.010 TO 0.020

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. **30221**

COPYRIGHT © 2004 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



RELEASED
06/03/01




SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30221

1) MATERIAL: AISI-4140 OR ASTM A304-02/ A-434-BC/ A193-03 - GRADE-B7/ A29-03/ A322-91
OR UNS#-G41400 ROUND BAR, Ø1.250 (REF. DART SPEC. M4140H-R)
2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
3) ALL DIMENSIONS ARE IN INCHES
4) BREAK ALL SHARP EDGES 0.005 TO 0.010

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN RF	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3354	REV. A SHEET 4 OF 7
DATE 04.12.13	TITLE LEFT ARM WELDMENT		SCALE 1:1

RELEASED
[Signature]**D3354-3 WHEEL SHAFT****NOTES:**

- 1) MATERIAL: AISI-4130/ AISI-4140 OR ASTM A304-02/ A-434-BC/ A193-03 - GRADE-B7/ A29-03/ A322-91 OR UNS#-G41400 ROUND BAR, $\phi 1.250$ (REF. DART SPEC. M4140H-R)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.010 TO 0.020


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30221

COPYRIGHT © 2004 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN RF	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3354	REV. A SHEET 5 OF 7
DATE 04.12.13	TITLE LEFT ARM WELDMENT		SCALE 1:1

RELEASED
[Signature]
06/03/14**D3354-5 RIGHT ARM PLATE****NOTES:**

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570 OR CSA G40.21, 38W/44W/50W/60W/70W, 0.75 THICK MILD STEEL BAR (REF. DART SPEC. M1010-B)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.010 TO 0.020


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
30221

COPYRIGHT © 2004 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN RF	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3354	REV. A SHEET 6 OF 7
DATE 04.12.13	TITLE LEFT ARM WELDMENT		SCALE 1:2

RELEASED
26/03/01
[Signature]**D3354-7 LEFT ARM PLATE****NOTES:**

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570 OR CSA G40.21, 38W/44W/50W/60W/70W, 1.00 THICK MILD STEEL BAR (REF. DART SPEC. M1010-B)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.010 TO 0.020


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. **30221**

COPYRIGHT © 2004 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN RF	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3354	REV. A SHEET 7 OF 7
DATE 04.12.13	TITLE LEFT ARM WELDMENT		SCALE 1:1

**D3354-9 HANDLE SOCKET****NOTES:**

- 1) MATERIAL: AISI 1010-1025 SEAMLESS ROUND TUBING PER MIL-T-5066 OR ASTM A513-00 MT1020 SRA OR AMS 5075 OR AMS 5077, (REF. DART SPEC. M1020TR1.250W.219)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.010 TO 0.020

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. **30221**

COPYRIGHT © 2004 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

